



AISI 316
CERROJOS EN
ACERO INOXIDABLE

ANDALINOX[®] S.L.

CERROJOS PARA SOLDAR

Varilla Ø 8 mm



| CÓDIGO | MEDIDAS A x B | PESO gramos |
|-----------|------------------|----------------|
| SO85x8/S | 85 x 8 mm | 70 |
| SO85x8/P | 85 x 8 mm | 70 |
| SO100x8/S | 100 x 8 mm | 76 |
| SO100x8/P | 100 x 8 mm | 76 |
| SO150x8/S | 150 x 8 mm | 105 |
| SO150x8/P | 150 x 8 mm | 105 |
| SO200x8/S | 200 x 8 mm | 120 |
| SO200x8/P | 200 x 8 mm | 120 |
| SO250x8/S | 250 x 8 mm | 140 |
| SO250x8/P | 250 x 8 mm | 140 |
| SO300x8/S | 300 x 8 mm | 166 |
| SO300x8/P | 300 x 8 mm | 166 |
| SO400x8/S | 400 x 8 mm | 198 |
| SO400x8/P | 400 x 8 mm | 198 |
| SO600x8/S | 600 x 8 mm | 285 |
| SO600x8/P | 600 x 8 mm | 285 |
| SO800x8/S | 800 x 8 mm | 365 |
| SO800x8/P | 800 x 8 mm | 365 |

Varilla Ø 10 mm



| CÓDIGO | MEDIDAS A x B | PESO gramos |
|------------|------------------|----------------|
| SO100x10/S | 100 x 10 mm | 111 |
| SO100x10/P | 100 x 10 mm | 111 |
| SO150x10/S | 150 x 10 mm | 153 |
| SO150x10/P | 150 x 10 mm | 153 |
| SO200x10/S | 200 x 10 mm | 184 |
| SO200x10/P | 200 x 10 mm | 184 |
| SO250x10/S | 250 x 10 mm | 208 |
| SO250x10/P | 250 x 10 mm | 208 |
| SO300x10/S | 300 x 10 mm | 240 |
| SO300x10/P | 300 x 10 mm | 240 |
| SO400x10/S | 400 x 10 mm | 295 |
| SO400x10/P | 400 x 10 mm | 295 |
| SO500x10/S | 500 x 10 mm | |
| SO500x10/P | 500 x 10 mm | |
| SO600x10/S | 600 x 10 mm | |
| SO600x10/P | 600 x 10 mm | |
| SO800x10/S | 800 x 10 mm | |
| SO800x10/P | 800 x 10 mm | |

Varilla Ø 12 mm



| CÓDIGO | MEDIDAS A x B | PESO gramos |
|------------|------------------|----------------|
| SO150x12/S | 150 x 12 mm | 235 |
| SO150x12/P | 150 x 12 mm | 235 |
| SO200x12/S | 200 x 12 mm | 315 |
| SO200x12/P | 200 x 12 mm | 315 |
| SO250x12/S | 250 x 12 mm | 357 |
| SO250x12/P | 250 x 12 mm | 357 |
| SO300x12/S | 300 x 12 mm | 480 |
| SO300x12/P | 300 x 12 mm | 480 |
| SO400x12/S | 400 x 12 mm | 490 |
| SO400x12/P | 400 x 12 mm | 490 |
| SO500x12/S | 500 x 12 mm | 595 |
| SO500x12/P | 500 x 12 mm | 595 |
| SO600x12/S | 600 x 12 mm | 665 |
| SO600x12/P | 600 x 12 mm | 665 |
| SO800x12/S | 800 x 12 mm | 837 |
| SO800x12/P | 800 x 12 mm | 837 |

Varilla Ø 16 mm



| CÓDIGO | MEDIDAS A x B | PESO gramos |
|------------|------------------|----------------|
| SO150x16/S | 150 x 16 mm | 423 |
| SO150x16/P | 150 x 16 mm | 423 |
| SO200x16/S | 200 x 16 mm | 546 |
| SO200x16/P | 200 x 16 mm | 546 |
| SO250x16/S | 250 x 16 mm | 620 |
| SO250x16/P | 250 x 16 mm | 620 |
| SO300x16/S | 300 x 16 mm | 666 |
| SO300x16/P | 300 x 16 mm | 666 |
| SO400x16/S | 400 x 16 mm | 812 |
| SO400x16/P | 400 x 16 mm | 812 |
| SO500x16/S | 500 x 16 mm | 1007 |
| SO500x16/P | 500 x 16 mm | 1007 |
| SO600x16/S | 600 x 16 mm | 1200 |
| SO600x16/P | 600 x 16 mm | 1200 |

S = SATINADO
P = PULIDO

CERROJOS PARA ATORNILLAR

Varilla Ø 8 mm



Varilla Ø 10 mm



| CÓDIGO | MEDIDAS A x B | PESO gramos |
|-----------|------------------|----------------|
| AT80x8/S | 80 x 8 mm | 74 |
| AT80x8/P | 80 x 8 mm | 74 |
| AT100x8/S | 100 x 8 mm | 89 |
| AT100x8/P | 100 x 8 mm | 89 |
| AT125x8/S | 125 x 8 mm | 108 |
| AT125x8/P | 125 x 8 mm | 108 |
| AT150x8/S | 150 x 8 mm | 129 |
| AT150x8/P | 150 x 8 mm | 129 |
| AT200x8/S | 200 x 8 mm | 165 |
| AT200x8/P | 200 x 8 mm | 165 |
| AT300x8/S | 300 x 8 mm | 218 |
| AT300x8/P | 300 x 8 mm | 218 |

| CÓDIGO | MEDIDAS A x B | PESO gramos |
|------------|------------------|----------------|
| AT100x10/S | 100 x 10 mm | 120 |
| AT100x10/P | 100 x 10 mm | 120 |
| AT150x10/S | 150 x 10 mm | 180 |
| AT150x10/P | 150 x 10 mm | 180 |
| AT200x10/S | 200 x 10 mm | 240 |
| AT200x10/P | 200 x 10 mm | 240 |
| AT250x10/S | 250 x 10 mm | 300 |
| AT250x10/P | 250 x 10 mm | 300 |
| AT300x10/S | 300 x 10 mm | 360 |
| AT300x10/P | 300 x 10 mm | 360 |
| AT400x10/S | 400 x 10 mm | 480 |
| AT400x10/P | 400 x 10 mm | 480 |
| AT500x10/S | 500 x 10 mm | 600 |
| AT500x10/P | 500 x 10 mm | 600 |
| AT600x10/S | 600 x 10 mm | 720 |
| AT600x10/P | 600 x 10 mm | 720 |

ANDALINOX[®] S.L.

Tlf.: 954 125 302 Fax: 955 691 258
 ventas@andalinox.es · www.andalinox.es

Pol. Industrial Fuentequintillo. C/ Numa, 33
41089 Montequinto Sevilla - ventas@andalinox.es
T: 954 125 302 F: 955 691 258 www.andalinox.es